



Certificate of Analysis

Informational Use Only - Not For Regulatory Use

Powered by Confident Cannabis
1 of 3

Core Manufacturing

4903 Dawn Ave
East Lansing, MI 48823
aaron.hanson@ellisonbrewing.com
(517) 488-9234
Lic. ##H525028589162


Sample: 2310GRE0024.0069

Strain: Mary Jones (Root Beer)
Batch#: ; Batch Size: packages

Sample Received: 10/24/2023; Report Created: 12/14/2023; Expires: 12/14/2024

10 mg/12 oz HD9

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Safety

Pass Pesticides	Pass Microbials	Not Tested NT Limit: 0.65 Aw Water Activity
	Pass Metals	Not Tested Foreign Matter

Cannabinoids

10.31 mg/container Total THC	ND Total CBD
---------------------------------	-----------------

Analyte	LOQ mg/container	Mass mg/container	Mass mg/mL
THCa	3.61	ND	ND
Δ9-THC	3.61	10.31	0.03
Δ8-THC	3.61	ND	ND
THCV	3.61	ND	ND
CBDa	3.61	ND	ND
CBD	3.61	ND	ND
CBDV	3.61	ND	ND
CBN	3.61	<LOQ	<LOQ
CBGa	3.61	ND	ND
CBG	3.61	ND	ND
CBC	3.61	<LOQ	<LOQ
Total		10.31	0.03

Terpenes

--	--	--

Total Terpenes:
NT

Cannabinoid Potency performed per SOP-CHEM-002 on HPLC-PDA.
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD
Water Activity performed per SOP-CHEM-013 using water activity meter.

4427 Manchester Road
Kalamazoo, MI
(954) 288-5773
www.greenalliancelabs.com
Lic# AU-SC-000123



Kate Guyot
Quality Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All action fall limits are specified in MRA R. 420.305 and Sampling and Testing Technical Guidance for Marijuana Products Sample collection was performed per SOP-INTK-003. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by Green Alliance Labs using valid testing methodologies and a quality system as required by Michigan state law. Values reported are related only to the product tested. Test results are confidential unless explicitly waived otherwise. Green Alliance Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. The certificate shall not be reproduced except in full without the written approval of Green Alliance Labs. Uncertainty information is available upon request. Green Alliance Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging.



Certificate of Analysis

Informational Use Only - Not For Regulatory Use

Powered by Confident Cannabis
2 of 3

Core Manufacturing

4903 Dawn Ave
East Lansing, MI 48823
aaron.hanson@ellisonbrewing.com
(517) 488-9234
Lic. ##H525028589162

Sample: 2310GRE0024.0069

Strain: Mary Jones (Root Beer)
Batch#: ; Batch Size: packages

Sample Received: 10/24/2023; Report Created: 12/14/2023; Expires: 12/14/2024

10 mg/12 oz HD9

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Microbials

Pass

Analyte	Limit	Mass	Status
	CFU/g	CFU/g	
Aspergillus	1	ND	Pass
Coliforms	1000	ND	Pass
STEC E.Coli	1	ND	Pass
Salmonella	1	ND	Pass
Yeast & Mold	10000	ND	Pass

Aspergillus performed per SOP-BIO-002 on qPCR. Salmonella and STEC E.coli performed per SOP-BIO-001 on qPCR. Coliform and Yeast and Mold performed per SOP-BIO-003 using cell enumeration based on fluorescent signal.

Heavy Metals

Pass

Analyte	LOQ	Limit	Value	Result
	PPM	PPM	PPM	
Arsenic	0.2	1.5	<LOQ	Pass
Cadmium	0.2	0.5	<LOQ	Pass
Chromium	0.2	2.0	<LOQ	Pass
Copper	0.2		<LOQ	Tested
Lead	0.2	0.5	<LOQ	Pass
Mercury	0.1	3.0	<LOQ	Pass
Nickel	0.2		<LOQ	Tested

Heavy Metals performed per SOP-CHEM-001 on ICP-MS

4427 Manchester Road
Kalamazoo, MI
(954) 288-5773
www.greenalliancelabs.com
Lic# AU-SC-000123



Kate Guyot
Quality Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All action fall limits are specified in MRA R. 420.305 and Sampling and Testing Technical Guidance for Marijuana Products Sample collection was performed per SOP-INTK-003. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by Green Alliance Labs using valid testing methodologies and a quality system as required by Michigan state law. Values reported are related only to the product tested. Test results are confidential unless explicitly waived otherwise. Green Alliance Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. The certificate shall not be reproduced except in full without the written approval of Green Alliance Labs. Uncertainty information is available upon request. Green Alliance Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging.



Certificate of Analysis

Informational Use Only - Not For Regulatory Use

Powered by Confident Cannabis
3 of 3

Core Manufacturing

4903 Dawn Ave
East Lansing, MI 48823
aaron.hanson@ellisonbrewing.com
(517) 488-9234
Lic. ##H525028589162

Sample: 2310GRE0024.0069

Strain: Mary Jones (Root Beer)
Batch#: ; Batch Size: packages

Sample Received: 10/24/2023; Report Created: 12/14/2023; Expires: 12/14/2024

10 mg/12 oz HD9

Ingestible, Beverage, Other
Harvest Process Lot: ; METRC Batch: ; METRC Sample:



Pesticides

Pass

Analyte	LOQ	Limit	Mass	Status	Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.250	0.500	ND	Pass	Hexythiazox	0.500	1.000	ND	Pass
Acephate	0.200	0.400	ND	Pass	Imazalil	0.100	0.200	ND	Pass
Acequinocyl	1.000	2.000	ND	Pass	Imidacloprid	0.200	0.400	ND	Pass
Acetamiprid	0.100	0.200	ND	Pass	Kresoxim Methyl	0.200	0.400	ND	Pass
Aldicarb	0.200	0.400	ND	Pass	Malathion	0.100	0.200	ND	Pass
Azoxystrobin	0.100	0.200	ND	Pass	Metalaxyl	0.100	0.200	ND	Pass
Bifenazate	0.100	0.200	ND	Pass	Methiocarb	0.100	0.200	ND	Pass
Bifenthrin	0.100	0.200	ND	Pass	Methomyl	0.200	0.400	ND	Pass
Boscalid	0.200	0.400	ND	Pass	Methyl Parathion	0.100	0.200	ND	Pass
Carbaryl	0.100	0.200	ND	Pass	MGK-264	0.100	0.200	ND	Pass
Carbofuran	0.100	0.200	ND	Pass	Myclobutanil	0.100	0.200	ND	Pass
Chlorantraniliprole	0.100	0.200	ND	Pass	Naled	0.250	0.500	ND	Pass
Chlorfenapyr	0.500	1.000	ND	Pass	Oxamyl	0.500	1.000	ND	Pass
Chlorpyrifos	0.100	0.200	ND	Pass	Paclobutrazol	0.200	0.400	ND	Pass
Clofentezine	0.100	0.200	ND	Pass	Permethrins	0.100	0.200	ND	Pass
Cyfluthrin	0.500	1.000	ND	Pass	Phosmet	0.100	0.200	ND	Pass
Cypermethrin	0.500	1.000	ND	Pass	Prallethrin	0.100	0.200	ND	Pass
Daminozide	0.500	1.000	ND	Pass	Propiconazole	0.200	0.400	ND	Pass
Diazinon	0.100	0.200	ND	Pass	Propoxur	0.100	0.200	ND	Pass
Dichlorvos	0.500	1.000	ND	Pass	Pyrethrins	0.500	1.000	ND	Pass
Dimethoate	0.100	0.200	ND	Pass	Pyridaben	0.100	0.200	ND	Pass
Ethoprophos	0.100	0.200	ND	Pass	Spinosad	0.100	0.200	ND	Pass
Etofenprox	0.200	0.400	ND	Pass	Spiromesifen	0.100	0.200	ND	Pass
Etoxazole	0.100	0.200	ND	Pass	Spirotetramat	0.100	0.200	ND	Pass
Fenoxycarb	0.100	0.200	ND	Pass	Spiroxamine	0.200	0.400	ND	Pass
Fenpyroximate	0.200	0.400	ND	Pass	Tebuconazole	0.200	0.400	ND	Pass
Fipronil	0.200	0.400	ND	Pass	Thiacloprid	0.100	0.200	ND	Pass
Fonicamid	0.500	1.000	ND	Pass	Thiamethoxam	0.100	0.200	ND	Pass
Fludioxonil	0.200	0.400	ND	Pass	Trifloxystrobin	0.100	0.200	ND	Pass

Chemical Residue performed per SOP-CHEM-003 on LC-MS/MS and GC-MS/MS

4427 Manchester Road
Kalamazoo, MI
(954) 288-5773
www.greenalliancelabs.com
Lic# AU-SC-000123



Kate Guyot
Quality Manager

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All action fall limits are specified in MRA R. 420.305 and Sampling and Testing Technical Guidance for Marijuana Products Sample collection was performed per SOP-INTK-003. Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. This product has been tested by Green Alliance Labs using valid testing methodologies and a quality system as required by Michigan state law. Values reported are related only to the product tested. Test results are confidential unless explicitly waived otherwise. Green Alliance Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. The certificate shall not be reproduced except in full without the written approval of Green Alliance Labs. Uncertainty information is available upon request. Green Alliance Labs complies with ISO/IEC 17025 standards. Photo is of sample collected by the lab and may vary from final packaging.